Remarks

In the above-identified Office Action the Examiner has stated that Applicant has not filed a certified copy of the priority document as required. Applicant notes that this is a application filed under § 371 under PCT as such the priority document was filed in the international phase. Applicant encloses an International Application status report, which was obtained on-line at the WIPO site, and shows that the priority document has been received.

The Examiner has objected to the specification based on certain noted typographical errors. By the above amendments Applicant has corrected the specification as required.

In addition, claim 17 had been objected to because of a noted informality. Claim 17 has been amended to correct this informality.

Claims 1-2, 4-9 and 14-16 have been rejected as anticipated by Roberts. In addition claims 11-13 have been rejected as unpatentable over Roberts while claim 3 has been rejected as unpatentable over Roberts in view of Jott Australia Pty., and claim 10 has been rejected as unpatentable over Roberts in view of Johnson. Claim 17 has been rejected as unpatentable over Roberts in view of States and claim 18, 19 and 21 have been rejected as unpatentable over Roberts and States in view of Murty. Claim 20 has been rejected as unpatentable over Roberts in view of Murty.

Applicant has amended the independent claims 1 and 20 so that they now recite an open upper inlet, an open lower inlet, and the pellets travel from the inlet to the outlet in the substantially continuous manner. Applicant notes that the principal reference (Roberts) in each of the rejections teaches what is essentially a batch operation. As stated on page 2 of Roberts line 92-9, there is a discharge gate 50 which is provided over the discharge means 22. The operation of this discharge gate causes the discharging means 22 to operate intermittently so the material descends intermittently (Roberts page 3, line 23-25).

As stated above Applicant has amended its independent claims so that the movement of material to Applicants apparatus is on a <u>substantially continuous</u> basis thereby differentiating itself from Roberts.

The present invention (as now claimed) related to a dryer for drying particulate material, wherein the dryer does not require inlet and outlet flow control valves (page 7, line

1). Consequently, the dryer inlet and outlet are open and the flow of particulate material through the dryer is substantially continuous (page 6, lines 21 and 22).

Although maintaining the inlet and the outlet of a dryer open permits a substantially continuous flow of particulate material through the dryer, such an arrangement also has the potential to significantly reduce the dryer efficiency due to the passage of air into and out of the dryer through the open inlet and outlet. Therefore, to dry particulate material in a manner that is both substantially continuous and efficient, the present inventors have devised a dryer design that minimizes the passage of air through the open inlet and outlet of the dryer and thus allows the substantially continued passage of material.

It is submitted that the present invention (as now claimed) is both novel and nonobvious in light of Roberts, since Roberts neither discloses nor suggests a dryer with an open inlet and outlet such that particulate material flows through the dryer in a substantially continuous manner. Furthermore, Roberts is completely silent about problems associated with maintaining the inlet and outlet of a dryer open, and hence provides no incentive whatsoever for a person skilled in the art of modify the teaching therein so as to overcome such problems and arrive at the invention defined in the revised claim set.

The dependent claims, in so far as they encompass each and every one of the limitations of the independent claims, should also be non-obvious and thus allowable over the art of record.

Applicant hereby requests reconsideration and reexamination thereof.

No further fee or petition is believed to be necessary. However, should any further fee be needed, please charge our Deposit Account No. 23-0920, and deem this paper to be the required petition.

Respectfully submitted,

HUSCH BLACKWELL SANDERS LLP WELSH & KATZ

August 13, 2009

Gerald T. Shekleton Registration No. 27,466

120 South Riverside Plaza Floor 22 Chicago, IL 60606 (312) 655-1500

(12) International Application Status Report

Received at International Bureau: 12 October 2004 (12.10.2004)

Information valid as of: Not available

(10) Publication number:

(43) Publication date:

WO2005/028977

31 March 2005 (31.03.2005)

(26) Publication language:

English (EN)

(21) Application Number:

(22) Filing Date:

PCT/AU2004/001319

24 September 2004 (24.09.2004)

(25) Filing language:

English (EN)

(31) Priority number(s):

(31) Priority date(s):

2003905237 (AU)

25 September 2003 (25.09.2003)

(31) Priority status:

Priority document received (in compliance with PCT Rule 17.1)

(51) International Patent Classification:

C10F 5/00 (2006.01); F26B 17/12 (2006.01); F26B 21/08 (2006.01)

(71) Applicants:

MADDINGLEY COLDRY PTY LTD [AU/AU]; 20-30 Baldwin Road Altona North, Victoria 3025 (AU) (for all designated states except US)

WILSON, David [AU/AU]; 3 Oakbank Street Newport, Victoria 3015 (AU) (for US only)

(72) Inventors:

WILSON, David; 3 Oakbank Street Newport, Victoria 3015 (AU)

(74) Agent(s):

ROBERTS, Mark, K.; Davies Collison Cave 1 Nicholson Street Melbourne, Victoria 3000 (AU)

(54) Title (EN): DRYER, DRYING METHOD AND DRYING PLANT

(54) Title (FR): SECHOIR, PROCEDE DE SECHAGE ET INSTALLATION DE SECHAGE

(57) Abstract:

(EN): The invention provides a dryer for drying particulate material, comprising at least one substantially vertical elongate container having an upper inlet (56a, 56b) for receiving a charge of moisture containing particulate material; a lower outlet (22) for discharging dried particulate material, whereby said particulate material travels under the influence of gravity from said inlet to said outlet; at least one substantially vertical gas permeable wall (20a, 20b) through which a drying gas can pass to contact said particulate material; said dryer also comprising at least one plenum (48, 50) on an exterior surface of said at least one gas permeable wall, covering ingress (38a) and egress openings within said at least one gas permeable wall.

(FR): L'invention concerne un séchoir destiné à sécher une matière particulaire, et comprenant au moins un récipient allongé sensiblement vertical possédant une entrée supérieure (56a), 56b) destinée à recevoir une charge de matière particulaire contenant de l'eau, une sortie inférieure (22) destinée à évacuer la matière particulaire séchée, cette matière particulaire se déplaçant sous l'action de la pesanteur depuis l'entrée jusqu'à la sortie, et au moins une paroi perméable au gaz sensiblement verticale (20a, 20b) à travers laquelle un gaz de séchage peut passer de sorte à venir au contact de la matière particulaire. Ledit séchoir comprend également au moins un plénum (48, 50) situé sur une surface extérieure de cette paroi perméable au gaz et recouvrant des ouvertures d'entrée (38a) et de sortie formées dans ladite paroi perméable au gaz.

International search report:

Received at International Bureau: 08 November 2004 (08.11.2004) [AU]

International preliminary examination report:

Chapter II demand received: 04 July 2005 (04.07.2005)

(81) Designated States:

ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW

European Patent Office (EPO): AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR

African Intellectual Property Organization (OAPI): BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG African Regional Intellectual Property Organization (ARIPO): BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW

Eurasian Patent Organization (EAPO): AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

Annotated short to show 6/6

